Cleaner Technologies Substitutes Assessment: Professional Fabricare Processes



U. S. Environmental Protection Agency Office of Pollution Prevention and Toxics Economics, Exposure and Technology Division (7406) 401 M Street SW Washington, DC 20460

DISCLAIMER

This document has been subject to U.S. Environmental Protection Agency (USEPA) internal review and external technical peer review and has been approved for publication. Mention of trade names, products, or services does not convey, and should not be interpreted as conveying, official USEPA approval, endorsement, or recommendation.

Information on sales, cost, performance, and product usage was provided by individual product vendors, or by USEPA Garment and Textile Care Program stakeholders, and was not independently corroborated by USEPA.

Discussion of federal environmental statutes is intended for information purposes only; this is not an official regulatory guidance document and should not be relied upon by companies to determine applicable regulations.

ACKNOWLEDGMENTS

The overall Project Manager is Lynne Blake-Hedges. In addition to being responsible for the production of this document, Ms. Blake-Hedges functions as the technical lead for the economic analyses contained in the document.

Lynne received excellent support from the EPA/OPPT Technical Workgroup:

Lynne Blake-Hedges, Workgroup Chair Andrea Blaschka Lois Dicker, Ph.D. Elizabeth Margosches, Ph.D. Fred Metz, Ph.D. Ossi Meyn, Ph.D. Mary Katherine Powers Scott Prothero

Management support and other general assistance was provided by:

David Lai, Ph.D. Robert E. Lee, Ph.D. Cindy Stroup Mary Ellen Weber, Ph.D. Vanessa Vu, Ph.D.

This document was prepared under EPA Contract numbers 68-W-9805 and 68-W6-0021, by Abt Associates Incorporated of Cambridge, MA, under the direction of Alice Tome. The EPA Work Assignment Manager is Lynne Blake-Hedges.

The independent technical peer review was conducted by Battelle Columbus Laboratories of Columbus, OH, under the direction of Bruce Buxton (EPA Contract number 68-D5-0008). Technical editing and general support to final document preparation was provided by Westat, Incorporated, of Rockville, MD, under the direction of Karen Della Torre (EPA Contract number 68-D7-0025). The EPA Work Assignment Manager for both Battelle and Westat is Cindy Stroup.

To obtain a copy of this or other EPA/Design for the Environment Program publications, contact:

EPA's Pollution Prevention Information Clearinghouse (PPIC)

401 M Street SW (3404) Washington, DC 20460 202-260-1023 fax: 202-260-4659

Any questions or comments regarding this document should be addressed to:

Lynne Blake-Hedges Economics, Exposure and Technology Division (7406) U.S. EPA/OPPT 401 M Street SW Washington, DC 20460



CONTENTS

ACKNOWLEDGEMENTS				
ACRO	NYMS	S AND A	ABBREVIATIONS	xv
EXECU	JTIVI	E SUMN	MARY	
			TION	ES-1
			R THE ENVIRONMENT GARMENT AND TEXTILE CARE PROGRAM .	
			LTS	
	CIDI		S	
			es	
			ures	
			stimates	
			oroethylene Solvent	
			carbon Solvents	
			ne Wet Cleaning	
	SELE		FEDERAL REGULATORY REQUIREMENTS	
			NCE CHARACTERISTICS	
			TORS	
			OF TRADE-OFF CONSIDERATIONS	
			TECHNOLOGIES	
			ONS	
				_,, _ ,
CHAP	TER 1	. INTR	CODUCTION	
	1.1	PROJE	ECT BACKGROUND	1-1
	1.2	CTSA	APPROACH	1-3
		1.2.1	Coverage of Fabricare Alternatives	1-4
		1.2.2	Description of Health and Environmental Risks	
		1.2.3	Performance Data	
		1.2.4	Analysis of the Costs of the Alternative Clothes Cleaning Technologies	1-7
		1.2.5	Selected Federal Regulations	
		1.2.6	Environmental Improvements	1-7
		1.2.7	Evaluation of Trade-Off Issues	1-7
		1.2.8	Emerging Technologies	1-8
		1.2.9	Additional Information	
	1.3	HOW	TO USE THIS DOCUMENT	
		1.3.1	Clothes Cleaners	
		1.3.2	Other Readers	
CHAP	TER 2	. OVE	RVIEW OF PROFESSIONAL FABRICARE TECHNOLOGIES	
	2.1		NOLOGIES EVALUATED IN THE CTSA	2-1
	2.2		HES CLEANING PROCESS	
	2.3		ESS EQUIPMENT DESCRIPTIONS	
		2.3.1	Perchloroethylene Processes Equipment	
		2.3.2	Hydrocarbon Processes Equipment	

	2.3.3	Machine Wetcleaning Process Equipment	
2.		ICAL CHARACTERIZATION OF TECHNOLOGIES	
	2.4.1	Drycleaning—Solvents	
	2.4.2	Machine Wetcleaning—Detergents	
2.		IERCIAL FABRICARE INDUSTRY MARKET PROFILE	
	2.5.1	Introduction	
	2.5.2	Perchloroethylene Market Share and Volume	
	2.5.3	Hydrocarbon Solvents Market Share and Volume	2-19
	2.5.4	Machine Wetcleaning	2-21
	2.5.5	Fabricare Industry Trends	2-22
СНАРТЕ	ER 3. HAZA	ARD SUMMARY	
3.	1 INTRO	DUCTION	3-1
3.	2 OVER	ALL SUMMARY	3-2
	3.2.1	Human Health Hazard	3-2
	3.2.2	Environmental Hazard	
3.		RD SUMMARIES BY TECHNOLOGY	
	3.3.1	Drycleaning Technologies	
	3.3.2	Machine Wetcleaning Technology	
	3.3.2	radelinie Weteredning Teenhology	5 11
		ASE AND EXPOSURE	4 1
4.		DUCTION	
4.			
	4.2.1	Drycleaning Technologies	
	4.2.2	Machine Wetcleaning Release Assessment	
4.		SURE OVERVIEW	
	4.3.1	Background and Definitions	
	4.3.2	Exposure Descriptors	
	4.3.3	Exposure Comparisons	
4.		SURE ASSESSMENTS	
	4.4.1	Drycleaning Technologies: Perchloroethylene Processes	
	4.4.2	Drycleaning: Hydrocarbon Solvents	
	4.4.3	Machine Wetcleaning Process	4-43
СНАРТЕ	ER 5. RISK		
5.	1 RISK C	CHARACTERIZATION—INTRODUCTION	
	5.1.1	Scope of the CTSA Risk Assessments	
	5.1.2	Background Information on Human Risk Assessment Methodology	5-1
5.	2 DRYC	LEANING USING PERCHLOROETHYLENE (PCE)	5-7
	5.2.1	Human Health	5-7
	5.2.2	Human Health Risks	5-8
	5.2.3	Occupational Risks—Drycleaning Workers	5-9
	5.2.4	Risks to Residents Co-Located with Drycleaning Establishments	
	5.2.5	General Population Risks	
	5.2.6	Special Sub-populations	
	5.2.7	Environmental Risk	
	5.2.8	Human and Environmental Risks—Overall Summary and Conclusions .	
		and contracting the contraction of the contraction	0

5.3	DRYCI	LEANING USING HYDROCARBON (HC) SOLVENTS	. 5-28
	5.3.1	Human Health	. 5-28
	5.3.2	Human Health Risks	. 5-28
	5.3.3	Occupational Risks—Drycleaning Workers	. 5-29
	5.3.4	General Population Risks—Residents Co-Located with Drycleaning	
		Establishments	. 5-32
	5.3.5	General Population Risks	
	5.3.6	Special Sub-populations	
	5.3.7	Environmental Risk—Summary and Conclusions	
5.4	MACH	INE WETCLEANING PROCESS	
	5.4.1	Human Health	
	5.4.2	Human Health Risks	
	5.4.3	Occupational Risks—Wetcleaning Workers	
	5.4.4	General Population Risks	
	5.4.5	Environmental Risk—Summary and Conclusions	
CHAPTER	6. PERF	ORMANCE DATA ANALYSIS	
6.1		RMANCE EVALUATION OF PROFESSIONAL FABRICARE	6-1
0.1	6.1.1	Performance Assessment Protocol	
	6.1.2	Subjective Measures of Cleaning Performance	
	6.1.3	Physical and Chemical Characteristics of Clothes Cleaning	
	6.1.4	Clothes Cleaning and Textile Damage Potential	
6.2		W OF PERFORMANCE STUDIES FOR FABRICARE OPTIONS	
0.2	6.2.1	Summary of Findings	
	6.2.2	Alternative Clothes Cleaning Demonstration Shop (<i>The Greener Cleaner</i>)	
	6.2.3	Final Report for the Green Clean Project	
	6.2.4	Pollution Prevention in the Garment Care Industry: Assessing the	. 0 13
	0.2.1	Viability of Professional Wetcleaning, Final Report (<i>Cleaner by Nature</i>).	6-26
	6.2.5	Alternative Textile Care Technologies: Part I	
	6.2.6	Alternative Textile Care Technologies: Part II	
	6.2.7	University of Guelph Fabric Swatch Study	
	0.2.7	Oniversity of Guerpii Labric Swatch Study	. 0-42
CHAPTER	7 PROC	ESS COST ESTIMATES	
7.1		ARY OF TECHNOLOGIES AND COST ELEMENTS MODELED	7-1
7.1		MPTIONS AND COST ESTIMATION METHODOLOGY	
7.2	7.2.1	Clothes Cleaning Plant Capacity	
	7.2.2	Equipment Capacity	
	7.2.3	Capital Equipment Costs	
	7.2.4	Equipment Maintenance Costs	
	7.2.5	Energy Costs	
	7.2.6	Installation Costs	
	7.2.7	Solvent and Other Material Costs	
	7.2.7	Filters/Cleaning Supplies	
	7.2.8	Hazardous Waste Disposal Costs	
	7.2.9	Regulatory Compliance	
	7.2.10	Labor Costs	
7.3		ESTIMATES FOR PCE MACHINE CONFIGURATIONS	
1.3	COSTI	LOTHNATED FOR FCE MACHINE CONTIUNKATIONS	1-9

	7.3.1	PCE Transfer with No Carbon Adsorption or Refrigerated	
		Condenser (PCE-A1)	7-9
	7.3.2	PCE Transfer with Carbon Adsorber (PCE-A2)	. 7-10
	7.3.3	PCE Transfer with Refrigerated Condenser (PCE-A3)	. 7-13
	7.3.4	PCE Dry-to-Dry with No Carbon Adsorber or Refrigerated	
		Condenser (PCE-B1)	. 7-14
	7.3.5	PCE Dry-to-Dry with Carbon Adsorber (PCE-B2)	
	7.3.6	PCE Dry-to-Dry Converted to Closed-Loop (PCE-B3)	
	7.3.7	PCE Dry-to-Dry Closed-Loop with no Carbon Adsorber or with Door Fan	
		and Small Carbon Adsorber (PCE-C)	. 7-16
	7.3.8	PCE Dry-to-Dry Closed-Loop with Unvented Integral Secondary Carbon	
		Adsorber (PCE-D)	. 7-17
7.4	COST I	ESTIMATES FOR HYDROCARBON SOLVENT MACHINE	
	CONFI	GURATIONS	. 7-18
	7.4.1	HC Transfer Machine with Standard Dryer and No Condenser (HC-A1)	. 7-18
	7.4.2	HC Transfer Machine with Recovery Dryer (HC-A2)	. 7-20
	7.4.3	HC Dry-to-Dry Closed-Loop with Refrigerated Condenser (HC-B)	. 7-20
7.5	COST I	ESTIMATES FOR MACHINE WETCLEANING	
		CTED FEDERAL REGUATIONS	0.4
8.1		N AIR ACT	
	8.1.1	Perchloroethylene Cleaning	
	8.1.2	Hydrocarbon Solvent Cleaning	
0.2	8.1.3	Machine Wetcleaning	
8.2		WATER ACT	
	8.2.1	National Pollutant Discharge Elimination System Program	
	8.2.2	Wastewater Discharges to Publicly-owned Treatment Works	
	8.2.3	Perchloroethylene Cleaning	
	8.2.4	Hydrocarbon Solvent Cleaning	
0.2	8.2.5	Machine Wetcleaning	. 8-11
8.3			0.14
		_ATIONS	
	8.3.1 8.3.2	Perchloroethylene Cleaning	
	8.3.3	Machine Wetcleaning	
8.4		JRCE CONSERVATION AND RECOVERY ACT	
0.4	8.4.1	Classification of Hazardous Wastes	
	8.4.2	Classification of Hazardous Wastes	
	8.4.3	Underground Storage Tanks	
	8.4.4	Perchloroethylene Cleaning	
	8.4.5	Hydrocarbon Solvent Cleaning	
	8.4.6	Machine Wetcleaning	
8.5		REHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION AND	. 0-41
0.5		ITY ACT	Q ว า
	8.5.1	Perchloroethylene Cleaning	
	8.5.2	Hydrocarbon Solvent Cleaning	
	8.5.2 8.5.3	Machine Wetcleaning	
	0.5.5	Machine wetcheaning	. 0-23

8	OCCUPATIONAL SAFETY AND HEALTH ACT 8-24
O	8.6.1 Perchloroethylene Cleaning
	8.6.2 Hydrocarbon Solvent Cleaning
	8.6.3 Machine Wetcleaning
8	e
8	
O	OTHER ATTEICABLE REGULATIONS
	R 9. ADDITIONAL ENVIRONMENTAL IMPROVEMENT APPROACHES
9	PCE AND HC DRYCLEANING FACILITIES9-1
	9.1.1 Recommended Operating and Maintenance Procedures9-1
	9.1.2 Impact of Facility Conditions and Remedial Actions on PCE
	Concentrations in Co-located Residences
9	
9	TRADE ASSOCIATION CONTACTS FOR FURTHER INFORMATION 9-17
CHAPT	R 10. TRADE-OFF ISSUES
1	1 SUMMARY OF TRADE-OFF FACTORS
	10.1.1 Potential Health and Environmental Risks
	10.1.2 Federal Regulatory Environment
	10.1.3 Costs
	10.1.4 Performance Characteristics
	10.1.5 Other Factors
	10.1.6 Summary of Trade-Off Considerations
1	2 APPROACHES FOR CONSIDERING TRADE-OFFS
	10.2.1 Benefit/Cost Analysis
	10.2.2 Cost-Effectiveness Analysis
	10.2.3 Comparison of Alternative PCE-Based Machine Configurations 10-18
	10.2.4 A Comparison of Alternative Hydrocarbon Solvent-Based Technologies . 10-24
СНАРТІ	R 11. EMERGING TECHNOLOGIES
1	
	2 ULTRASONIC CLEANING PROCESS
	3 RYNEX SOLVENT
	4 BIOTEX SOLVENT
1	4 BIOTEA SOLVENT11-3
	X A. CHEMISTRY AND FATE
A	
A	
	B HYDROCARBON ENVIRONMENTAL FATE SUMMARY A-15
A	MACHINE WETCLEANING ENVIRONMENTAL FATE SUMMARIES A-16
APPENI	X B. ECOLOGICAL HAZARD METHODOLOGY
Е	DEVELOPMENT OF HAZARD PROFILE
E	DETERMINATION OF CONCERN CONCENTRATION
APPENI	X C. HEALTH HAZARD SUMMARIES
ATTEM	
_	

		C.1.1	Perchloroethylene	. C-1
			Hydrocarbon Solvents	
	C.2		INE WETCLEANING EXAMPLE DETERGENT CHEMICALS	
		C.2.1	Surfactants	C-19
		C.2.2	Surfactant Aids	C-37
APPEN			E-RESPONSE ASSESSMENTS	
	D.1	DRYCI	LEANING	. D-1
		D.1.1	Perchloroethylene	. D-1
		D.1.2	Hydrocarbon Solvents	. D-7
	D.2	MACH	INE WETCLEANING CHEMICALS	. D-8
APPEN	NDIX I	E. RELI	EASE AND EXPOSURE METHODOLOGY AND DATA	
APPEN	NDIX I	F SIIM	MARY OF EXTERNAL TECHNICAL PEER REVIEW	

LIST OF EXHIBITS

Exhibit ES-1. Exhibit ES-2.	Summary of Regulations Related to Fabricare Technologies
	Fabricare Technologies
Exhibit ES-3.	An Overview of Alternative Cleaning Technologies' Trade-Off Factors ES-11
Exhibit 2-1.	Simplified Process Flow Diagrams for PCE Machinery 2-4
Exhibit 2-2.	Simplified Process Flow Diagrams for Hydrocarbon Solvent Machinery 2-11
Exhibit 2-3.	Simplified Process Flow Diagram for Machine Wetcleaning
Exhibit 2-4.	Example Detergent Chemicals Included in the CTSA
Exhibit 2-5.	Example Wetcleaning Detergent Formulations
Exhibit 2-6.	Solvent Usage in the Commercial Sector of the Drycleaning Industry 2-18
Exhibit 2-7.	Total Volume of PCE (in million kg)
Exhibit 2-8.	Perchloroethylene Use (Domestic and Import) in the U.S. Drycleaning Industry 2-19
Exhibit 3-1.	Human Health Hazard Summary
Exhibit 3-2.	Estimated Aquatic Toxicity Values of Dry and Wetcleaning Chemicals Based on Measured Data and Struture Activity Relationship (SAR) Analysis (mg/L) 3-6
Exhibit 3-3.	Estimated Chronic Toxicity Values (mg/L) for Linear, Branched, and Cyclic
	Hydrocarbon Solvents
Exhibit 4-1.	Estimated Releases from PCE Model Facilities with Various Machine
	Types and Emission Controls
Exhibit 4-2.	Estimated Releases from HC Model Facilities with Various Machine
	Types and Emission Controls
Exhibit 4-3.	Pathways Covered in the CTSA
Exhibit 4-4.	Summary of TWA ECs Based on OSHA Personal Monitoring for PCE Drycleaning
Exhibit 4-5.	Central Tendencies of TWA Concentrations of PCE Reported in Some US
	Occupational Studies for Drycleaning Workers by Job Type and Machine Type 4-17
Exhibit 4-6.	Passive Air Monitoring Results for PCE Drycleaning Workers by Machine Type Collected by the International Fabricare Institute
Exhibit 4-7.	TWA ECs for PCE Drycleaning Workers by Machine Type and Control and
F 1 11 1 4 0	Job Title Collected by the National Institute for Occupational Safety and Health 4-19
Exhibit 4-8.	Summary Statistics for PCE Concentrations in Air in Co-located Residences 4-26
Exhibit 4-9.	Estimated Exposures Received by Co-located Residents
Exhibit 4-10.	Consumers Union Inhalation Exposure Estimates From Wearing
	Drycleaned Clothes
Exhibit 4-11.	Summary of TWA Exposure Concentrations (ECs) for Inhalation of
	Stoddard Solvent by Job Title Based on OSHA Personal Monitoring Data 4-39
Exhibit 4-12.	Summary of TWA ECs for Inhalation of Petroleum Solvents by Job
	Title Based on NIOSH Data
Exhibit 4-13.	Hydrocarbon LADCs by Distance from a Hypothetical Facility (mg/m ³) 4-42
Exhibit 5-1.	Exposure Scenarios Evaluated for Human Health Effects
Exhibit 5-2.	Toxicity Comparison Values for PCE Risk Assessment

E-1:1:4 5 2	Occupational Health Bishs Wis Inhelding to Wedness Board on Board 1000	
Exhibit 5-3.	Occupational Health Risks Via Inhalation to Workers Based on Post-1990 OSHA Monitoring Data for PCE Drycleaning	5-10
Exhibit 5-4.	Occupational Health Risks to Drycleaning Workers From PCE Inhalation -	. 5-10
Eximult 3-4.	by Job Title and Machine Type	5_12
Exhibit 5-5.	Cancer and Non-Cancer Risks from PCE Associated with Co-located Residences.	
Exhibit 5-5.	General Population Cancer and Non-Cancer Risks from Inhalation of PCE	
Exhibit 5-0.	Cancer and Non-Cancer Risks from Exposure to PCE-Contaminated	. 3-20
Eximult 3-7.	Drinking Water	5 21
Exhibit 5-8.	PCE Hazards and Inhalation Exposures	
Exhibit 5-8.	Summary of Occupational Risk to Example Detergent Constituents	. 5-21
Eximult 3-9.	Via Dermal Exposure	5_37
	Via Definal Exposure	. 5-51
Exhibit 6-1.	The Greener Cleaner Demonstration Shop Profile	6-7
Exhibit 6-2.	Fiber Types Machine Wetcleaned at <i>The Greener Cleaner</i>	
Exhibit 6-3.	Garment Types Machine Wetcleaned at <i>The Greener Cleaner</i>	
Exhibit 6-4.	Telephone Survey Questions and Results	
Exhibit 6-5.	Results of Panel Evaluation of Wetcleaned Clothes at <i>The Greener Cleaner</i>	. 6-11
Exhibit 6-6.	Side-by-Side Evaluations of Identical Wet and Drycleaned Garments	
Exhibit 6-7a.	Maximum Dimensional Change for Woven Garments	
Exhibit 6-7b.	Maximum Dimensional Change for Woven Fabrics	. 6-13
Exhibit 6-8a.	Maximum Dimensional Change for Knit Garments	. 6-14
Exhibit 6-8b.	Maximum Dimensional Change for Knit Fabrics	. 6-14
Exhibit 6-9.	Wetcleaning Shop Profile for the Green Clean Project	
Exhibit 6-10.	Garment Profile Summary for the Green Clean Depot	. 6-17
Exhibit 6-11.	Summary of Customer Satisfaction Surveys	. 6-18
Exhibit 6-12.	Summary of Customer Satisfaction Surveys with Negative Responses	. 6-19
Exhibit 6-13.	Percent Warp Shrinkage of Undyed Fabrics After One Cleaning	. 6-20
Exhibit 6-14.	Percent Shrinkage Results for Consumer Fabric Swatches	. 6-21
Exhibit 6-15.	Percent Soil Removal from Standard Soil Test Fabrics	. 6-22
Exhibit 6-16.	Percent Garment Shrinkage Results Before and After Pressing	
Exhibit 6-17.	Garment Pressing Quality	. 6-24
Exhibit 6-18.	Garment Pressing Time	. 6-25
Exhibit 6-19.	Demonstration Shop Profile for Cleaner by Nature	
Exhibit 6-20.	Garment Types Cleaned at Cleaner by Nature	
Exhibit 6-21.	Fiber Types Cleaned at Cleaner by Nature	. 6-29
Exhibit 6-22.	Dimensional Change for Identical "Dry Clean Only" Garments Repeatedly	
	Wetcleaned and Drycleaned	
Exhibit 6-23.	Performance Quality and Acceptability of General Appearance Evaluations	
Exhibit 6-24.	Color Change Evaluation	. 6-32
Exhibit 6-25.	Gray Scale for Color Change and Chromatic Transference Scale	6 22
Eubibit 6 26	for Color Migration	
Exhibit 6-26. Exhibit 6-27.	Positive and Negative Performance Qualities: Distribution of Wearer Responses.	
	•	
Exhibit 6-28. Exhibit 6-29.	Percent with Preference for Wearing One Garment Pair	
Exhibit 6-29.	Preference for Wearing Wetcleaned or Drycleaned Garments	
	Positive Performance Qualities Experienced by Cleaner by Nature Customers	
Exhibit 6-31.	Negative Performance Qualities Experienced by Cleaner by Nature Customers	. 0-30

Exhibit 6-32. Exhibit 6-33.	Customer Rating of <i>Cleaner by Nature</i> as a Professional Cleaner 6-37 Positive Performance Qualities Experienced by <i>Cleaner by Nature</i> Customers
	and Drycleaner Customers
Exhibit 6-34.	Negative Performance Qualities Experienced by Cleaner by Nature Customers
	and Drycleaning Customers
Exhibit 6-35.	Primary Reason Customers Stopped Using Professional Cleaner: <i>Cleaner by Nature</i> and Drycleaning Customers
Exhibit 7-1.	Potential Operating Factors Associated with Fabricare Facilities
Exhibit 7-2.	Summary of Estimated Process-Dependent Cost Components for Selected
Exhibit 7-3.	Fabricare Technologies
Exhibit 7-4.	Estimated Process-dependent Cost Components of Selected PCE Machine Configurations
Exhibit 7-5.	Estimated Process-dependent Cost Components of Selected HC Solvent
	Machine Configurations
Exhibit 7-6.	Estimated Process-dependent Cost Components for Machine Wetcleaning 7-22
Exhibit 8-1.	Summary of Regulations Related to Fabricare Technologies 8-2
Exhibit 8-2.	Air Control Requirements for Drycleaners with New and Existing Machines
	Based on PCE Purchase Volume 8-4
Exhibit 8-3.	PCE NESHAP Compliance Requirements for Drycleaners
Exhibit 8-4.	RCRA Requirements for Hazardous Waste Generators 8-17
Exhibit 8-5.	State Fees for Reduced Liability Exposures
Exhibit 8-6.	State Legislative Provisions for Reduced Liability
Exhibit 9-1.	Maintenance Schedule for Drycleaning Equipment
Exhibit 10-1.	Risk Considerations
Exhibit 10-2.	Summary of Federal Regulations Applicable to Fabricare Technologies 10-6
Exhibit 10-3.	Summary of Estimated Process-Dependent Cost Components for
	Selected Fabricare Technologies
Exhibit 10-4.	Estimated Process-dependent Cost Components of Selected PCE
	Machine Configurations
Exhibit 10-5.	Estimated Process-Dependent Cost Components of Selected Hydrocarbon
	Solvent Machine Configurations
Exhibit 10-6.	An Overview of Alternative Cleaning Technologies' Trade-Off Factors 10-14
Exhibit 10-7.	Glossary of Benefit/Cost Analysis Terms
Exhibit 10-8.	An Overview of Benefits and Costs of Alternative Cleaning Technologies 10-17
Exhibit 10-9.	Estimated Release Reduction Performance and Cost Characteristics
	of PCE Drycleaning Machine Configurations
Exhibit 10-10.	Estimated Cost Effectiveness of PCE Transfer Drycleaning Alternatives
	Compared with PCE Transfer with No Vent Control (PCE-A1)

Exhibit 10-11.	Estimated Cost Effectiveness of PCE Dry-to-Dry Cleaning Alternatives Compared with PCE Dry-to-Dry with No Vent Control (PCE-B1)
Exhibit 10-12.	Estimated Release Reduction, Performance, and Cost Characteristics of
	HC Drycleaning Machine Configurations
Exhibit 10-13.	Estimated Cost Effectiveness of HC Cleaning Alternatives Compared with
	HC Transfer with Standard Dryer
Exhibit A-1.	Glossary of Chemical and Physical Properties
Exhibit A-2.	Chemicals Utilized in Dry and Machine Wetcleaning Operations
Exhibit A-3.	Environmental Fate Information for Machine Wetcleaning Chemicals
Exhibit E-1.	PCE Emissions by Machine Type
Exhibit E-2.	Emission Factors Used to Estimate Releases of Solvent from Hydrocarbon
E 1 11 1 E 2	Drycleaning Facilities
Exhibit E-3.	Environmental Release Estimates of Example Detergent #1 Constituents
Exhibit E-4.	Environmental Release Estimates of Example Detergent #2 Constituents
Exhibit E-5.	Summary of American Business Information (ABI) 1994 Drycleaning Worker Population Data
Exhibit E-6.	Summary of Estimated Drycleaning Worker Population Data
Exhibit E-7.	Drycleaning Worker Subpopulation Estimation
Exhibit E-8.	Determination of Estimated Dermal Exposure Durations for Potential Liquid
Lamon L o.	PCE Contact E-
Exhibit E-9.	Exposure Assessment Methodology- Background on Worker Exposure
Exhibit E-10.	Worker Exposure - Inhalation
Exhibit E-11.	Worker Exposure - Inhalation
Exhibit E-11.	Exposure Assessment Methodology - Non Worker Populations E-12
Exhibit E-12.	Estimates of Workers' Dermal Exposures to Example Detergent #1 Constituents
Exhibit E-14.	Estimates of Workers' Dermal Exposures to Example Detergent #1 Constituents Estimates of Workers' Dermal Exposures to Example Detergent #2 Constituents
Exhibit E-14. Exhibit E-15.	Exposure to Co-located Residents: Information on Monitoring Studies -
EXIIIOIT E-13.	· · · · · · · · · · · · · · · · · · ·
E-1.0.4 E 16	Capital District Survey E-1:
Exhibit E-16.	Exposure to Co-located Residents: Information on Monitoring Studies -
E 1 11 1 E 17	Consumers Union E-1'
Exhibit E-1/.	Exposure to Co-located Residents: Information on Monitoring Studies -
.	New York State Health Department Data, Unpublished
Exhibit E-18.	Exposure to Co-located Residents: Information on Monitoring Studies -
	San Francisco Bay Area
Exhibit E-19.	Exposure to Co-located Residents: Information on Monitoring Studies -
	Concentrations Measured in Germany and Netherlands E-2
Exhibit E-20.	Inhalation Exposure From a Hypothetical Hydrocarbon Facility E-22
Exhibit E-21.	Estimating Concentrations in Surface Water
Exhibit E-22.	Description of the Storage and Retrieval of U.S. Waterways Parametric Data
	System (STORET)
Exhibit F-1.	Final CTSA Peer Review Panel
Exhibit F-2.	Teleconference Attendees for CTSA Announcement - Held July 24, 1997 F-:
Exhibit F-3.	Summary Statistics on CTSA Comments from CTSA Peer Review Panel